# STATE OF WASHINGTON DEPARTMENT OF CONSERVATION DIVISION OF WATER RESOURCES

WELL	· ·	Appli. #	
Record Source	by Driller Driller's Record		0
Locatio	n State of WASHINGTON		
Cot	<sub>unty</sub> Island		
Are	ea		
Ma	- · · · · · · · · · · · · · · · · · · ·		
NW	$_{1/4}$ NE $_{1/4}$ sec $36$ T $34$ N, R $1$ E	Diagram of	Section
Drilling		- al-	
	dress Box 277, Oak Harbor, Wa		
Me	thod of Dilling Date	May 10	, 19 6.
Owner	Thomas Robinson	••	T-T 1-
Ado	dress Route 1, Box 440-A, Oak	k Harbor,	wasn.
Land st	urface, datum ft above		
SWL	39' Date , 19	Dims 6"	x 174
CORRE- LATION (Tra	MATERIAL  Inscribe driller's terminology literally but 1 21 aphr 18e	From (feet)	To (feet)
LATION	inscribe driller's terminology literally but 1 maphrise ial water bearing so tate and record static level if id surface datum unless otherwise indicated. Correlate Following log of materials list all casings perform	(feet)	(feet)
LATION	inscribe driller's terminology literally but 1 araphrise all water bearing so tate and record static level if a surface datum unless otherwise indicated. Correlate Following log of materials list all casings performances.  Domestic	(feet)  as necessar in reported. Give cate with straturations series et	parenthes lepths in faphic column
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so state and record static level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings performance.  Domestic  Sand	(feet)  The reported Give dite with stratical etons surcens etons	parenthes lepths in faphic column
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so tate and record stric level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings performance.  Domestic  Sand  Hardpan	reported Give cate with straturations series et	parenthes lepths in fighic column
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so state and record static level if additional and surface datum unless otherwise indicated. Correlage Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel	(feet) 2 as necessar in reported. Give cate with stratignations series et  0 10 16	parenthes in fightic column ( )
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so tate and record static level if add surface datum unless otherwise indicated. Correlage Following log of materials list all casings performances and Hardpan  Gravel  Clay, sandy	reported Give cute with straturations series et	parenthes lepths in faphic column 10 16 20 54
LATION	inscribe driller's terminology literally but 1 araphr ise all water bearing so tate and record struc level if did surface datum unless otherwise indicated. Correlate Following log of materials list all casings performances and Hardpan  Gravel  Clay, sandy  Clay	(feet)  a as necessar in reported. Give date with stratigrations series et.  O  10  16  20  54	10 16 20 54
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so tate and record static level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings performances and Hardpan  Gravel  Clay, sandy  Clay, sandy  Clay, sandy	(feet)	(feet)   parenthes     parenthes     lepths in f     parenthes     lepths in f     parenthes     lepths in f     lepths in f
LATION	inscribe driller's terminology literally but 1 maphrise all water bearing so tate and record strite level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings performance.  Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing	(feet)  a as necessar in reported. Give date with stratigrations series et.  O  10  16  20  54	10 16 20 54 148
LATION	Inscribe driller's terminology literally but 1 araphr ise all water bearing so tate and record stric level if districted attem unless otherwise indicated. Correlate Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing  Casing 6" from 0-171!	(feet)	10 16 20 54 148
LATION	Inscribe driller's terminology literally but 1 maphrise all water bearing so tate and record static level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings performances and Hardpan  Gravel  Clay, sandy  Clay, sandy  Clay, sandy  Sand, water bearing  Casing 6" from 0-171'  Screen installed	(feet)	10 16 20 54 148
LATION	Inscribe driller's terminology literally but 1 maphr ise all water bearing so tate and record stric level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing  Casing 6" from 0-171'  Screen installed  Yield 12 gpm	(feet)	10 16 20 54 148
LATION	Inscribe driller's terminology literally but 1 araphr ise all water bearing so tate and record stric level if a disurface datum unless otherwise indicated. Correlate Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing  Casing 6" from 0-171'  Screen installed  Yield 12 gpm  Pump 1.5 h.p. submersible	(feet)	(feet)
LATION	Inscribe driller's terminology literally but 1 maphr ise all water bearing so tate and record stric level if ad surface datum unless otherwise indicated. Correlate Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing  Casing 6" from 0-171'  Screen installed  Yield 12 gpm	(feet)	10 16 20 54 148
LATION	Inscribe driller's terminology literally but 1 araphr ise all water bearing so tate and record stric level if a disurface datum unless otherwise indicated. Correlate Following log of materials list all casings perform Domestic  Sand  Hardpan  Gravel  Clay, sandy  Clay  Clay, sandy  Sand, water bearing  Casing 6" from 0-171'  Screen installed  Yield 12 gpm  Pump 1.5 h.p. submersible	(feet)	10 16 20 54 148

### STATE OF WASHINGTON DEPARTMENT OF CONSERVATION

ATER	ANA	LYSIS

WATER ANALYSIS			N	io lle	CR 7	<i>f _</i>
State of WASHINGTON	D-4					, 19 <u>66</u>
Name Tom Robins				Oak Ha		, 19 <u>00</u>
T-13						
County Island Analyst Health Dep	t.	AI	ea		Tab 1	No. 443
- Intaryst	R Inc	1 7			Lab	No 443
Sample taken from T						
Sample taken from	ap ba	шрто				
			·			,
Antecedent pumping, etc _	Untr	eated	wat	ers		
Antecedent pumping, etc	Ollul	Gauca	. WCLC			<del></del>
				· ·		<del></del>
						<del></del>
	10	Parts	_	Equiv	alents Aillion	Percent age Equiv
	r	er Millior	ı 	Fer h	Alliion	alents
Temperature 15° C xxx	S <sub>1</sub> O <sub>2</sub>	7	50			
<sub>pH</sub> 8.10	Fe	0	18			
K x 10 <sup>8</sup> @ 77 <sup>0</sup> F					<u>-</u>	
70 . 1 1 1 1	Ca	27	23	1	36	
Total dissolved 269.0	Mg	18	46	1	52	
Hardness (calc )	Na	13	80	0	60	
Color 1	K	7	47	0	19	
Suspended matter 7.0		Bas	ses			
Ignition loss	BO3					
	CO <sub>3</sub>		440			
	HCO <sub>3</sub>	178	12	2	92	
	SO <sub>4</sub>	13	20	0	27	
	Cl	5	40	0	15	
	F	0	36	0	19	
Record by	NO <sub>3</sub>	19	20	0	31	
Comp by						
Checked by		A	cids			
	Erro		– Ac			
Tuen un for nartial analyses	2.10	Bases	+ Acı	ds		

ŀ	PARTS PER MILLION (Add column headings for constituents reported				
DATE	(Add column heading	s for constituents reported			
	[				
			\$		
oplemental information	on				
Turbidity	- 9				
14101410,			a		
	ness (CaCO <sub>2</sub> ) ]	<i>ь</i> ь.0			
	ness (CaCO <sub>3</sub> ) ]	44.0 46.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance 3	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance	44.0 46.0 354.0			
	ness (CaCO <sub>3</sub> ) ] (CaCO <sub>3</sub> ) ] onductance	44.0 46.0 354.0			



## Well Tagging Form

Unique Well Tag No: AGA 553

### RECORD VERIFICATION (check ✓one)

Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. Do not use this form for wells that do not have a Water Well Report.

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT
First Name: Cornet Bay Herights Water ASSOCIATION
Street Address: 5055 W. Alto Lane
City: Oak Harbor State: WA 98277
LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT
Well Address: Parcel 6410-00-00006-0, Canyon Roal
city: Oak Harbor County: Island
T. 34 N. R. / Ew.M. Sec. 36 NW 1/2 of the NE
Latitude
Elevation at land surface

SEE BACK SIDE OF PAGE...

RECEIVED


JAN 27 2010

Dept of Ecology WR-NWRO

#### WELL CHARACTERISTICS

Location of Well identification Tag:

Strapped to well casing



Scale 1:24,000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point

SECTION 36

COMMENTS:

Well # 1 (Source 501)

See attached may for location

